

**FIRST COAST SERVICE OPTIONS
FLORIDA MEDICARE PART B
LOCAL COVERAGE DETERMINATION**

CPT/HCPCS Codes

93875 Non-invasive physiologic studies of extracranial arteries, complete bilateral study (eg, periorbital flow direction with arterial compression, ocular pneumoplethysmography, Doppler ultrasound spectral analysis)

93880 Duplex scan of extracranial arteries; complete bilateral study

93882 unilateral or limited study

LCD Number

93875

LCD Database ID Number

L6000

Contractor Name

First Coast Service Options, Inc.

Contractor Number

00590

Contractor Type

Carrier

LCD Title

Non-invasive Extracranial Arterial Studies

AMA CPT Copyright Statement

CPT codes, descriptions, and other data only are copyright 2004 American Medical Association (or such other date of publication of CPT). All Rights Reserved. Applicable FARS/DFARS Clauses Apply.

CMS National Coverage Policy

Language quoted from CMS National Coverage Determinations (NCDs) and coverage provisions in interpretive manuals are italicized throughout the Local Coverage Determination (LCD). NCDs and coverage provisions in interpretive manuals are not subject to the LCD Review Process (42 CFR 405.860[b] and 42 CFR 426 [Subpart D]). In addition, an administrative law judge may not review an NCD. See §1869(f)(1)(A)(i) of the Social Security Act.

Unless otherwise specified, *italicized* text represents quotation from one or more of the following CMS sources:

CMS Manual System, Pub 100-3, Medicare National Coverage Determinations, Chapter 1, Sections 20.17 and 220.5.

Primary Geographic Jurisdiction

Florida

Secondary Geographic Jurisdiction

N/A

CMS Region

Region IV

CMS Consortium

Southern

Original Determination Effective Date

09/01/1994

Original Determination Ending Date

N/A

Revision Effective Date

09/20/2005

Revision Ending Date

09/19/2005

Indications and Limitations of Coverage and/or Medical Necessity

Non-invasive extracranial arterial studies involve the use of direct and occasionally indirect methods of ultrasound to evaluate and monitor the blood vessels that supply the brain. The direct methods of assessment are doppler and duplex ultrasound, whereas the indirect methods include techniques such as oculoplethysmography.

Doppler ultrasonography is used to evaluate hemodynamic parameters, specifically the velocity of blood flow and the pattern or characteristics of flow. The doppler ultrasound involves the evaluation of the supraorbital, common carotid, external carotid, internal carotid, and the vertebral arteries in the extracranial cerebrovascular assessment.

The second key component of vascular diagnostic ultrasound is the B-mode, or brightness-mode image. This real time imaging technique provides a two-dimensional gray-scale image of the soft tissues and vessels based on the acoustic properties of the tissues.

Duplex ultrasonography combines the direct visualization capabilities of B-mode ultrasonography and the blood-flow velocity measurements of doppler ultrasonography.

In addition to the direct methods of doppler and duplex ultrasonography to evaluate the cerebrovascular arterial system, indirect methods such as supraorbital doppler ultrasonography and oculoplethysmography are used as an adjunct to assess the carotid artery. Supraorbital doppler ultrasonography indirectly assesses blood flow from collateral branches of the internal carotid artery through the supraorbital vessels. This test is done by placing a directional doppler probe over a supraorbital artery and observing the flow with and without compression of neighboring arteries. Oculoplethysmography indirectly measures blood flow in the ophthalmic artery by graphically recording ocular pulses obtained from corneal cups held in place by mild suction. Because the ophthalmic artery is the first major branch of the internal carotid artery, its blood flow accurately reflects carotid blood flow and ultimately that of cerebral circulation.

Florida Medicare will consider non-invasive extracranial arterial studies medically reasonable and necessary under the following circumstances:

- To evaluate a patient with suspected occlusive cerebrovascular disease as demonstrated by the presence of transient ischemic attacks (TIA's), possible carotid bruit(s), diminished or absent pulses in the neck or arms, and/or a blood pressure difference in 2 arms of greater than 10mmHg.
- To evaluate a patient with signs/symptoms of subclavian steal syndrome. The symptoms usually associated with subclavian steal syndrome are a bruit in the supraclavicular fossa, unequal radial pulses, arm claudication following minimal exercise, and a difference of 20mmHg or more between the systolic blood pressures in the arms.
- To monitor a patient with known carotid stenosis. Patients demonstrating a diameter reduction of 30-50% are normally followed on an annual basis, whereas patients with a diameter reduction of greater than 50% are normally followed every six months. It is not necessary to monitor patients with a diameter reduction of less than 30%.
- To evaluate a patient with transient monocular blindness (amaurosis fugax). Normally a patient with this symptom is evaluated with an ocular pneumoplethysmography.
- To monitor patients who are post carotid endarterectomy. These patients are normally followed with duplex ultrasonography on the affected side at 6 weeks, 6 months, 1 year, and annually thereafter.
- To initially evaluate a patient presenting with an asymptomatic carotid bruit identified on physical examination. Routine monitoring of a patient with an asymptomatic carotid bruit without evidence of carotid stenosis is considered screening, and therefore, noncovered.
- To initially evaluate a patient who has had a recent stroke (recent is defined as less than six months) to determine the cause of the stroke.
- To evaluate a patient presenting with an injury to the carotid artery.
- To evaluate a patient with a suspected aneurysm of the carotid artery. This is suspected in patients with swelling of the neck particularly if occurring post carotid endarterectomy.

- To preoperatively validate the degree of carotid stenosis of a patient whose previous duplex scan revealed a greater than 70% diameter reduction. The duplex is only covered when the surgeon questions the validity of the previous study and the repeat test is being performed in lieu of a carotid arteriogram.

Note: The current medical literature contains inconclusive information regarding the evaluation and monitoring of patients with asymptomatic carotid bruits. Even though the presence of bruit increases the likelihood of finding disease of extracranial carotid arteries, it does not necessarily indicate severe stenosis. Also, the predictive value of a bruit is questioned when severe disease is found in patients without a bruit.

In addition, the literature supports that the test of choice for all the above indications is the duplex scan, which is represented by procedure code 93880 and 93882.

Since, the standard for the above indications is a color-duplex scan, portable equipment must be able to produce combined anatomic and spectral flow measurements.

Coverage Topic

Diagnostic Tests and X-Rays

CPT/HCPCS Codes

93875 Non-invasive physiologic studies of extracranial arteries, complete bilateral study (eg, periorbital flow direction with arterial compression, ocular pneumoplethysmography, Doppler ultrasound spectral analysis)

93880 Duplex scan of extracranial arteries; complete bilateral study

93882 unilateral or limited study

ICD-9 Codes that Support Medical Necessity

362.34	Transient arterial occlusion
433.10	Occlusion and stenosis of carotid artery without mention of cerebral infarction
433.11	Occlusion and stenosis of carotid artery with cerebral infarction
433.30	Occlusion and stenosis of multiple and bilateral precerebral arteries without mention of cerebral infarction
433.31	Occlusion and stenosis of multiple and bilateral precerebral arteries with cerebral infarction
434.00-434.91	Occlusion of cerebral arteries
435.0	Basilar artery syndrome
435.1	Vertebral artery syndrome
435.2	Subclavian steal syndrome
435.3	Vertebrobasilar artery syndrome
435.8	Other specified transient cerebral ischemias
435.9	Unspecified transient cerebral ischemia
436	Acute, but ill-defined, cerebrovascular disease
442.81	Other aneurysm of artery of neck
785.9	Other symptoms involving cardiovascular system (carotid bruit)

900.00	Injury to carotid artery, unspecified
900.01	Injury to common carotid artery
900.02	Injury to external carotid artery
900.03	Injury to internal carotid artery
V67.00	Follow-up examination following surgery, unspecified
V67.09	Follow-up examination following other surgery

Diagnoses that Support Medical Necessity

N/A

ICD-9 Codes that DO NOT Support Medical Necessity

N/A

Diagnoses that DO NOT Support Medical Necessity

N/A

Documentation Requirements

Medical record documentation maintained by the ordering physician must clearly indicate the medical necessity of the services being billed. In addition, documentation that the service was performed must be included in the patient's medical record. This information is normally found in the office/progress notes, hospital notes, and/or test results.

If the provider of the service is other than the ordering/referring physician, that provider must maintain hard copy documentation of test results and interpretation, along with copies of the ordering/referring physician's order for the studies. The physician must state the clinical indication/medical necessity for the study in his order for the test.

Utilization Guidelines

N/A

Sources of Information and Basis for Decision

Brophy, D. (2005). *Subclavian Steal Syndrome*. Retrieved from <http://www.emedicine.com/radio/topic663.htm> on September 9, 2005.

Cina, C., Clase, C., Radan, A. (2004). *Asymptomatic Carotid Bruit*. ACS Surgery. Retrieved from <http://www.medscape.com/viewarticle/506635> on September 9, 2005.

Hill, M., Foss, Tu., Feasby, T. (2004). *Factors influencing the decision to perform carotid endarterectomy*. Neurology 62(5). American Academy of Neurology. Retrieved from <http://home.mdconsult.com/das/article/body/50235942-2/jorg> on September 9, 2005.

Mettler, F. (2005). *Essentials of Radiology, second edition*. Page 149. Elsevier, Inc. Retrieved from <http://home.mdconsult.com/das/book/body/0/1276/1.html> on September 9, 2005.

Shah, K., Edlow, J. (2004). *Transient ischemic attack: Review for the emergency physician*. *Annals of Emergency Medicine* 43(5). Retrieved from <http://home.mdconsult.com/das/article/body/50211775-2/jorg> on September 9, 2005.

Advisory Committee Notes

This policy does not reflect the sole opinion of the contractor or Contractor Medical Director. Although the final decision rests with the contractor, this policy was developed in cooperation with advisory groups, which includes representatives from numerous societies.

Start Date of Comment Period

N/A

End Date of Comment Period

N/A

Start Date of Notice Period

N/A

Revision History

Revision Number: 4 LCR B2005-089
Start Date of Comment Period: N/A
Start Date of Notice Period: 09/20/2005
Revised Effective Date:

Explanation of Revision: Policy converted into LCD format. National references updated. All other references updated with current medical literature.

Revision Number: 3 PCR B2000-160
Start Date of Comment Period: N/A
Period: 09/01/2000 Sept/Oct 2000 Update
Start Date of Notice Period: 10/01/2000
Revised Effective Date:

Explanation of Revision: Annual ICD-9-CM Update.

Revision Number: 2 PCR B2000-133
Start Date of Comment Period: N/A
Period: 09/01/2000 Sept/Oct 2000 Update
Start Date of Notice Period: 08/07/2000
Revised Effective Date:

Explanation of Revision: An evaluation was completed and it was determined to be appropriate to perform this study for diagnoses 433.30 and 433.31.

Revision Number: 1 PCR B99-110

Start Date of Comment 04/30/1999
Period: 09/01/1999 Sept/Oct 1999 Update
Start Date of Notice Period: 10/18/1999
Revised Effective Date:

Explanation of Revision: Original policy struck out.

Revision Number Original
Start Date of Comment 04/16/1994
Period 08/01/1994
Start Date of Notice Period 09/01/1994
Original Effective Date

Related Documents

N/A

LCD Attachments

Document formatted: 09/12/2005 (SH/st)